

GAS RANGE MODEL NUMBER DESIGNATION

First Character- Type of operating system.

T- Spark Thermocouple System	US only
S- Hot Surface Ignition	US or Canada
B- Battery Ignition system	US only
G- Standing Pilot Ignition System	Canada only

Second Character- Size of range

A- 20 in. (Open burner range)
H- 20 in. (Sealed burner range)
B- 24in. (Open burner range)
F- 30in. (Open burner range)
J - 24in. (Sealed burner system)
L- 36in. (4 or 5 Open burners range)
M- 30in. (Sealed burner range)
R- 36in. (6 Open burner range)

Third Character – Oven Finish

K- Porcelain Oven
L- Continuous Clean Oven

Fourth Character- Oven Door, Storage Drawer, Oven Light

- 0- Black solid oven door
No light in oven
Black manifold cover
Black Broiler Door and Compartment Door
- 1- Color solid oven door
No light in oven
Black manifold cover
Color Broiler Door and Compartment Door
- 2- Color bakeview oven door
Light in oven
Black manifold cover
Color Broiler Door and Compartment Door
- 3- Black glass windowed oven door
Light in oven
Black manifold cover
Color Broiler Door and Compartment Door
- 4- Black glass windowed oven door
No Light in oven
Black manifold cover
Color Broiler Door and Compartment Door
- 5- Color bakeview oven door
No light in oven
Black manifold cover
Color Broiler Door and Compartment Door

- 6- Stainless steel oven door
Stainless steel broiler door
Light in oven
- 7- Black glass solid oven door
No light in oven
Black manifold cover
Black Broiler Door and Compartment Door
- 8- Black glass windowed oven door
Light in oven
Black manifold cover
Black Broiler Door and Compartment Door
- 9- Black bakeview oven door
Light in oven
Black manifold cover
Black Broiler Door and Compartment Door
- A Stainless Steel Windowed Oven Door
Stainless Steel Broiler Door
No Light in Oven
- B Stainless Steel Windowed Oven Door
Stainless Steel Broiler Door
Light in Oven
- C- Black solid oven door
No light in oven
Black manifold cover
Color Broiler Door and Compartment Door
- L- Color solid oven door
Light in oven
Black manifold cover
Color Broiler Door and Compartment Door

Fifth Character- Backguard

- 0- 4 in. porcelain backguard
- 1- 4 in. chrome/stainless backguard
- 2- 8 ½ in. porcelain backguard- clock
- 4- 10 in. glass backguard- digital clock/timer
- 9- 8 ½ in. porcelain backguard
- S- 10 in. glass backguard- no clock
- X- vent rail only

Sixth Character- Options

- 0-No options-Two oven racks
- 1- One oven rack
- 4- One oven rack- porcelain burner box bottom
- 5- Fifth burner only-4 Chrome heat reflectors
- 7- Griddle and Fifth Burner- No Chrome heat reflectors
- 8- Griddle only- 4 Chrome heat reflectors
- 9- Griddle and Fifth Burner- 4 Chrome heat reflectors
- C- Griddle only- 4 Chrome Heat Reflectors-Porcelain Sides
- D- Griddle and Fifth Burner- 4 Chrome Heat Reflectors-Porcelain Sides

- G- Griddle only

- R- On-Off Top Burner Valves- Chrome Heat Reflectors
- S- Porcelain sides – No Broiler
- Y- Porcelain sides
- X-No Broiler, Painted Sides

Seventh Character- Color

- B- Black
- O- White on White
- W- White
- T-Biscuit

Eight Character- “Brand Names”

- 1- Mark Royal
- 7- Modern Chef
- E- Eagle
- H- Heritage by Orbon
- J- National
- K- Kelvinator
- O- Holiday
- P- Premier

FINAL SUFFIXES: All models may have a final combination (A-Z, or 1-9)- These suffixes represent internal manufacturing/production changes not affecting the certified designs.

- Q- 7086 Round Cast Iron Grates- May or may not be used in combination with the below:

- 4- LP 110V 60 cycles
- 5- LP 110v 50 cycles
- 7- LP 220V 50 cycles

- C- Canadian LP

- D- Canadian Natural