

| No. | MVP ITEM NO. | Part Name | Specification | Photo | Bottom Mount Model | | | | | |
|-----|--------------|------------------------|---------------------------|---|--------------------|--------|--------|---------|--------|--------|
| | | | | | Refrigerator | | | Freezer | | |
| | | | | | KBSR-1 | KBSR-2 | KBSR-3 | KBSF-1 | KBSF-2 | KBSF-3 |
| 1 | KB3449 | ASSY DOOR RH_BM | SOLID DOOR R10_MVP |  | 1 | 1 | 2 | 1 | 1 | 2 |
| 2 | KB3450 | ASSY DOOR LF_BM | SOLID DOOR R10_MVP |  | | 1 | 1 | | 1 | 1 |
| 3 | KB3181 | GASKET DOOR BM | RD-PVC(LS100 LG) 1353*610 |  | 1 | 2 | 3 | 1 | 2 | 3 |
| 4 | KB5066 | ASSY HINGE TOP LF | STS304 T=4.0 |  | | 1 | 1 | | 1 | 1 |
| 5 | KB5065 | ASSY HINGE TOP RH | STS304 T=4.0 |  | 1 | 1 | 2 | 1 | 1 | 2 |
| 6 | KB5069 | ASSY HINGE BOTTOM LF | STS304 T=4.0 |  | | 1 | 1 | | 1 | 1 |
| 7 | KB5068 | ASSY HINGE BOTTOM RH | STS304 T=4.0 |  | 1 | 1 | 2 | 1 | 1 | 2 |
| 8 | KB5070 | PLATE HINGE BOTTOM MID | STS304 T4 130*80.7 |  | | | 1 | | | 1 |




KBSR-KBSF

| No. | MVP ITEM NO. | Part Name | Specification | Photo | Bottom Mount Model | | | | | |
|-----|--------------|--------------------|-----------------------|---|--------------------|--------|--------|---------|--------|--------|
| | | | | | Refrigerator | | | Freezer | | |
| | | | | | KBSR-1 | KBSR-2 | KBSR-3 | KBSF-1 | KBSF-2 | KBSF-3 |
| 9 | KB3208 | STOPPER HINGE RH | POM(FW700S) 45.5*31*8 |  | 1 | 1 | 2 | 1 | 1 | 2 |
| 10 | KB3237 | STOPPER HINGE LF | POM(FW700S) 45.5*31*8 |  | | 1 | 1 | | 1 | 1 |
| 11 | KB5067 | PIN TENSION | SUM24L + C 5*22 |  | 1 | 2 | 3 | 1 | 2 | 3 |
| 12 | KB3238 | SPRING DOOR LF | PW-C C 2.3 PINK SPRAY |  | | 1 | 1 | | 1 | 1 |
| 13 | KBH358 | SPRING DOOR RH | PW-C C 2.3 |  | 1 | 1 | 2 | 1 | 1 | 2 |
| 14 | KB5002 | SHAFT TOP HINGE AS | SUM24L C 15*123L |  | 1 | 2 | 3 | 1 | 2 | 3 |
| 15 | | STOPPER DOOR RH | POM(FW700S) |  | 1 | 1 | 2 | 1 | 1 | 2 |
| 16 | KB3213 | STOPPER DOOR LF | POM(FW700S) |  | | 1 | 1 | | 1 | 1 |











KBSR-KBSF

| No. | MVP ITEM NO. | Part Name | Specification | Photo | Bottom Mount Model | | | | | |
|-----|--------------|--------------------------------------|--------------------------------------|---|--------------------|--------|--------|---------|--------|--------|
| | | | | | Refrigerator | | | Freezer | | |
| | | | | | KBSR-1 | KBSR-2 | KBSR-3 | KBSF-1 | KBSF-2 | KBSF-3 |
| 19 | KBH180 | COMPRESSOR (EM2X3125U) + ACCESSORIES | EMBRACO1/4,LMBP,314KCAL/H,5.80BTU/WH |  | 1 | 1 | | | | |
| 20 | KBH181 | COMPRESSOR (FFU160UAX) + ACCESSORIES | EMBRACO1/2,LMBP,421KCAL/H,5.25BTU/WH |  | | | 1 | 1 | | |
| 21 | KBH182 | COMPRESSOR (NEU2155U) + ACCESSORIES | EMBRACO 1/2,LBP,659KCAL/H,5.32BTU/WH |  | | | | | 1 | |
| 22 | KBH183 | COMPRESSOR + ACCESSORIES | NT2180UV |  | | | | | | 1 |
| 23 | KBH020 | BASE COMP(BM23R/F/RG-HC) | GI T1.2*358.9*609.17 |  | 1 | | | 1 | | |
| | KBH021 | BASE COMP(BM49R) | GI T1.2*644.2*667.3 | | | 1 | | | | |
| | KBH018 | BASE COMP BM72 | GI T1.2*697.9*621.2 | | | | 1 | | | |
| | KBH022 | BASE COMP(BM49F) | GI T1.2*644.2*667.3 | | | | | | 1 | |
| | KBH019 | BASE COMP BM72F | GI T1.2*697.9*621.2 | | | | | | | 1 |
| 24 | KBH004 | CONDENSER | FE, Ø4.76, |  | 1 | 1 | 1 | 1 | | |
| | KBH005 | CONDENSER | CU, Ø7.0, 338*12 | | | | | | 1 | 1 |











KBSR-KBSF

| No. | MVP ITEM NO. | Part Name | Specification | Photo | Bottom Mount Model | | | | | |
|-----|--------------|-----------------------------------|------------------------------------|---|--------------------|--------|--------|---------|--------|--------|
| | | | | | Refrigerator | | | Freezer | | |
| | | | | | KBSR-1 | KBSR-2 | KBSR-3 | KBSF-1 | KBSF-2 | KBSF-3 |
| 25 | KBH282 | ASSY MOTOR COND (R290 FE-COND) | R290 SUCTION, STEEL WIRE COND TYPE |  | 1 | 1 | 1 | 1 | | |
| 26 | KBH028 | BRACKET COND MOTOR (R290 FE-COND) | GI / T1.0*454.8*116.8 |  | 1 | 1 | 1 | 1 | | |
| 27 | KB5024 | CONDENSER FAN MOTOR BLADE | 115V FAN MOTOR AL 9" C.W |  | 1 | 1 | 1 | 1 | | |
| 28 | KB3330 | CONDENSER FAN MOTOR (115V) | 115V60HZ DAI-8204DYCA CW. |  | 1 | 1 | 1 | 1 | | |
| 29 | KBH283 | ASSY MOTOR COND (R290 CU-COND) | R290 SUCTION, CU+AL COND TYPE |  | | | | | 1 | 1 |
| 30 | KBH029 | BRACKET COND MOTOR (R290 CU-COND) | GI / T1.0*516.8*116.8 |  | | | | | 1 | 1 |
| 31 | KB5024 | CONDENSER FAN MOTOR BLADE | 115V FAN MOTOR AL 9" C.W |  | | | | | 1 | 1 |
| 32 | KB3330 | CONDENSER FAN MOTOR (115V) | 115V60HZ DAI-8204DYCA CW |  | | | | | 1 | 1 |










KBSR-KBSF

| No. | MVP ITEM NO. | Part Name | Specification | Photo | Bottom Mount Model | | | | | |
|------|--------------|-------------------------------|---|---|--------------------|--------|--------|---------|--------|--------|
| | | | | | Refrigerator | | | Freezer | | |
| | | | | | KBSR-1 | KBSR-2 | KBSR-3 | KBSF-1 | KBSF-2 | KBSF-3 |
| 33 | KBH356 | EVAPORATOR (R290 BM 23R/23RG) | AL+Electrodeposition coating W330*D246*H105 |  | 1 | | | | | |
| | KBH007 | EVAPORATOR (R290 BM 49R/49RG) | AL+Electrodeposition coating W506*D246*H105 | | | 1 | | | | |
| | KBH008 | EVAPORATOR (R290 BM 72R) | AL+Electrodeposition coating W669*D240*H107 | | | | 1 | | | |
| | KBH009 | EVAPORATOR (R290 BM 23F) | CU, Φ7.0, 5열 Electrodeposition coating W417*D | | | | | 1 | | |
| | KBH010 | EVAPORATOR (R290 BM 49F) | CU, Φ7.0, 5열 Electrodeposition coating W599*D | | | | | | 1 | |
| | KBH011 | EVAPORATOR (R290 BM 72F) | CU, Φ7.0, 5열 Electrodeposition coating W847*D | | | | | | | 1 |
| 34 | KB3408 | EVAPORATOR FAN MOTOR ASSY | 115V 60Hz |  | 1 | 2 | 2 | 1 | 2 | 2 |
| 34-1 | KB1890 | EVAPORATOR | STS304-2B, T1.0*120*90 |  | 1 | 2 | 2 | 1 | 2 | 2 |
| 34-2 | KB1880 | EVAP FAN BLADE (8 INCH. CCW) | |  | 1 | 2 | 2 | 1 | 2 | 2 |
| 34-3 | KB5034 | EVAPORATOR | AC115V 60HZ DAI-8204DYCA-1 CCW |  | 1 | 2 | 2 | 1 | 2 | 2 |
| 35 | KB5035 | EVAPORATOR FAN MOTOR GUARD | HIPS (VH-1800EX) .WHITE |  | 1 | 2 | 2 | 1 | 2 | 2 |
| 36 | KBH171 | EVAPORATOR AIR GUIDE RH | AL WHITE,T0.5*162*247 |  | 1 | | 1 | 1 | 1 | 1 |
| | KB3232 | EVAPORATOR AIR GUIDE RH | AL WHITE,T0.5*162*269 |  | | 1 | | | | |










KBSR-KBSF

| No. | MVP ITEM NO. | Part Name | Specification | Photo | Bottom Mount Model | | | | | |
|-----|--------------|----------------------------------|---------------------------------|---|--------------------|--------|--------|---------|--------|--------|
| | | | | | Refrigerator | | | Freezer | | |
| | | | | | KBSR-1 | KBSR-2 | KBSR-3 | KBSF-1 | KBSF-2 | KBSF-3 |
| 37 | KBH173 | EVAPORATOR AIR GUIDE LF | AL WHITE,T0.5*162*247 |  | 1 | | 1 | 1 | 1 | 1 |
| | KB3234 | EVAPORATOR AIR GUIDE LF | AL WHITE,T0.5*162*269 |  | | 1 | | | | |
| 38 | KBH172 | EVAPORATOR AIR GUIDE MID | AL WHITE,T0.5*161.8*243 |  | | | 1 | | 1 | 1 |
| 39 | KBH074 | COVER EVA (BM23R/F) | T0.5*575*558.4 STS443CT |  | 1 | | | | | |
| | KBH075 | COVER EVA (BM49R) | STS443CT 2B T0.5*1048.2*560 | | | 1 | | | | |
| | KBH081 | EVA COVER BM72R | STS443CT 2B T0.5*1190.7*559.9 | | | | 1 | | | |
| | KBH093 | COVER EVA (BM23F-HC) | STS443CT 2B / T0.5*575*621.5 |  | | | | 1 | | |
| | KBH094 | COVER EVA (BM49F-HC) | STS443CT 2B / T0.5*866.4*620.5 | | | | | | 1 | |
| | KBH095 | COVER EVA (BM72F-HC) | STS443CT 2B / T0.5*1081.4*620.5 | | | | | | | 1 |
| 40 | KBH102 | COVER EVA SIDE LF (BM49F/72F-HC) | STS443CT 2B / T0.5*214.5*545.4 |  | | | | | 1 | 1 |
| 41 | KBH103 | COVER EVA SIDE RH (BM49F/72F-HC) | STS443CT 2B / T0.5*214.5*545.4 |  | | | | | 1 | 1 |










KBSR-KBSF

| No. | MVP ITEM NO. | Part Name | Specification | Photo | Bottom Mount Model | | | | | |
|-----|--------------|--------------------------------|--------------------------|---|--------------------|--------|--------|---------|--------|--------|
| | | | | | Refrigerator | | | Freezer | | |
| | | | | | KBSR-1 | KBSR-2 | KBSR-3 | KBSF-1 | KBSF-2 | KBSF-3 |
| 42 | KBH120 | BRACKET-DRAIN | STS304-2B, T0.5*25*57(P) |  | 1 | 1 | 2 | 1 | 2 | 2 |
| 43 | | EVAPORATOR DRAIN INSUL-S (23) | T17*256*530, FOAM-PS |  | 1 | | | 1 | | |
| | | EVAPORATOR DRAIN INSUL-M (49R) | T17*256*622, FOAM-PS | | | 1 | | | | |
| | | EVAPORATOR DRAIN INSUL-L (49F) | T17*256*800, FOAM-PS | | | | 1 | | 1 | |
| | KBH001 | EVAPORATOR DRAIN INSULL-L (72) | T17*256*1040, GST-72TF | | | | | | | 1 |
| 44 | KB3196 | EVAPORATOR DRAIN PAN-SMALL | AL+COATING |  | 1 | | | 1 | | |
| | KB3194 | EVAPORATOR DRAIN PAN-MID | AL+COATING | | | 1 | | | | |
| | KB3192 | EVAPORATOR DRAIN PAN-LARGE | AL+COATING | | | | 1 | | 1 | |
| 45 | KB5406 | EVAPORATOR DRAIN ELBOW-UPP | PP WHITE(30209L0200) |  | 1 | 1 | 1 | 1 | 1 | 1 |
| 46 | KBH165 | EVAPORATOR DRAIN ELBOW-LOW | PP WHITE(30225L0100) |  | 1 | 1 | 1 | 1 | 1 | 1 |
| 47 | KB3096 | EVAPORATOR DRAIN HOSE-A | ∅ 16*12 L=213, SILICON |  | 1 | 1 | 1 | 1 | 1 | 1 |
| | KBH003 | EVAPORATOR DRAIN HOSE-C | SILICON, T2*∅ 18 L=340mm | | 1 | 1 | 1 | 1 | 1 | 1 |
| 48 | KB3246 | EVAPORATOR DRAIN HOSE GUIDE | GI T1.0X225X60 |  | 1 | 1 | 1 | 1 | 1 | 1 |









KBSR-KBSF

| No. | MVP ITEM NO. | Part Name | Specification | Photo | Bottom Mount Model | | | | | |
|------|--------------|-------------------------------|--------------------------------|---|--------------------|--------|--------|---------|--------|--------|
| | | | | | Refrigerator | | | Freezer | | |
| | | | | | KBSR-1 | KBSR-2 | KBSR-3 | KBSF-1 | KBSF-2 | KBSF-3 |
| 49 | KB3390 | EVAPORATOR DRAIN WATER-S ASSY | MSF/R-23NM |  | 1 | | | 1 | | |
| 49-1 | KB1690 | EVAPORATOR DRAIN WATER SMALL | ABS,BLK(30211L0700) |  | 1 | | | 1 | | |
| 49-2 | KB1710 | EVAPORATOR WICKING GUIDE | P.P,WHT T2*40*569(30230L0100) |  | 1 | | | 1 | | |
| 49-3 | KB1730 | DRAIN WICKING K/T | PP T2.5*99*103 |  | 5 | | | 5 | | |
| 50 | KB3388 | EVAPORATOR DRAIN WATER-L ASSY | MSF/R-49 72NM |  | | 1 | 1 | | 1 | 1 |
| 50-1 | KBH164 | EVAPORATOR DRAIN WATER-L | T** |  | | 1 | 1 | | 1 | 1 |
| 50-2 | KB1720 | EVAP WICKING GUIDE | PP,WHT T2.0*40*657(30230J0702) |  | | 1 | 1 | | 1 | 1 |
| 50-3 | KB1740 | EVAP WICKING KIT | PP T2.5*83*180 |  | | 5 | 5 | | 5 | 5 |











KBSR-KBSF

| No. | M VP ITEM NO. | Part Name | Specification | Photo | Bottom Mount Model | | | | | |
|-----|---------------|------------------------|----------------------------------|---|--------------------|--------|--------|---------|--------|--------|
| | | | | | Refrigerator | | | Freezer | | |
| | | | | | KBSR-1 | KBSR-2 | KBSR-3 | KBSF-1 | KBSF-2 | KBSF-3 |
| 51 | KB5036 | COVER LAMP | PC MILKI WHITE |  | 1 | 1 | 2 | 1 | 1 | 2 |
| 52 | KB3459 | ASSY LAMP LED | HIPS(405AF) |  | 1 | 1 | 2 | 1 | 1 | 2 |
| 53 | KB1640 | DRYER | |  | 1 | 1 | 1 | 1 | 1 | 1 |
| 54 | KBH036 | PIPE HOT-DRYER | OD4.76*T0.6*267.12 |  | 1 | 1 | | 1 | 1 | |
| 55 | KBH057 | PIPE CHARGE(R290 EM2X) | OD6.35*T0.7 RED SLEEVE(PMS #185) |  | 1 | 1 | | | | |
| | KBH058 | PIPE CHARGE(R290 FFU) | OD6.35*T0.7 RED SLEEVE(PMS #185) | | | | 1 | 1 | 1 | 1 |
| 56 | KBH059 | PIPE DRYER (R290) | OD4.76*T0.7 RED SLEEVE(PMS #185) |  | 1 | 1 | 1 | 1 | 1 | 1 |



KBSR-KBSF

| No. | MVP ITEM NO. | PartName | Specification | Photo | Bottom Mount Model | | | | | |
|-----|--------------|---------------------------------|-----------------------|---|--------------------|--------|--------|---------|--------|--------|
| | | | | | Refrigerator | | | Freezer | | |
| | | | | | KBSR-1 | KBSR-2 | KBSR-3 | KBSF-1 | KBSF-2 | KBSF-3 |
| 57 | KBH060 | PIPE COND IN (R290 BM EM2X) | OD6.35*T0.7, ID6.5 |  | 1 | 1 | | | | |
| | KBH061 | PIPE COND IN (R290 BM FFU) | OD6.35*T0.7 |  | | | 1 | 1 | | |
| | KBH062 | PIPE COND IN (R290 BM NEU) | OD6.35*T0.7, ID6.5 |  | | | | | 1 | |
| | KBH063 | PIPE COND IN (R290 BM NT) | OD6.35*T0.7, ID6.5 |  | | | | | | 1 |
| 58 | KBH339 | PIPE HOT&COMPRESSOR PULL OUT AS | R290 BM 23R/23RG |  | 1 | | | | | |
| | KBH341 | PIPE HOT&COMPRESSOR PULL OUT AS | R290 BM 49R | | | 1 | | | | |
| | KBH344 | PIPE HOT&COMPRESSOR PULL OUT AS | R290 BM 72R | | | | 1 | | | |
| | KBH340 | PIPE HOT&COMPRESSOR PULL OUT AS | R290 BM 23F | | | | | 1 | | |
| | KBH342 | PIPE HOT&COMPRESSOR PULL OUT AS | R290 BM 49F | | | | | | 1 | |
| | KBH345 | PIPE HOT&COMPRESSOR PULL OUT AS | R290 BM 72F | | | | | | | 1 |
| 59 | KBH035 | PIPE CROSS BAR OUTLET BM72F | CU OD4.76*T0.7*L161.1 |  | | | 1 | | | 1 |
| 60 | KBH116 | CROSS BAR PIPE OUT BM49 | OD4.76*T0.6 |  | | | | | 1 | |
| 61 | KBH117 | CROSS BAR PIPE IN BM72F | OD4.76*T0.6 |  | | | | | | 1 |











KBSR-KBSF

| No. | MVP ITEM NO. | Part Name | Specification | Photo | Bottom Mount Model | | | | | |
|-----|--------------|------------------------------|-------------------|---|--------------------|--------|--------|---------|--------|--------|
| | | | | | Refrigerator | | | Freezer | | |
| | | | | | KBSR-1 | KBSR-2 | KBSR-3 | KBSF-1 | KBSF-2 | KBSF-3 |
| 62 | KBH118 | CROSS BAR CONNECT BM72F | OD4.76*T0.6 |  | | | 1 | | | 1 |
| 63 | KBH127 | REINF HINGE LF/RH | GI. T3.0*50*138 |  | 1 | 1 | 1 | 1 | 1 | 1 |
| 64 | KB5045 | ASSY GRILL BOTTOM_23 | 23 SOLID |  | 1 | | | 1 | | |
| | KB3469 | ASSY GRILL BOTTOM_49 | 49 SOLID | | | 1 | | | 1 | |
| | KB5059 | BOTTOM GRILL AS | LFB-72T | | | | 1 | | | 1 |
| 65 | KBH268 | ASSY GRILL TOP (R290 BM 23) | KBSR-1 / KBSF-1 |  | 1 | | | 1 | | |
| | | ASSY GRILL TOP (R290 BM23) | | | 1 | | | 1 | | |
| | KBH264 | ASSY GRILLE TOP(R290 KBSR-2) | KBSR-2 / KBSF-2 |  | | 1 | | | 1 | |
| | | ASSY GRILL TOP (R290 BM49) | | | | 1 | | | 1 | |
| | KBH269 | ASSY GRILL TOP (R290 BM 72) | KBSR-3 / KBSF-3 |  | | | 1 | | | 1 |
| | | ASSY GRILL TOP (R290 BM72) | | | | | 1 | | | 1 |
| 66 | KBH023 | BRACKET GRILLE | GI T1.0*99.44*110 |  | 2 | 2 | 2 | 2 | 2 | 2 |



KBSR-KBSF

| No. | MVP ITEM NO. | Part Name | Specification | Photo | Bottom Mount Model | | | | | |
|------|--------------|-----------------------------------|--------------------------|---|--------------------|--------|--------|---------|--------|--------|
| | | | | | Refrigerator | | | Freezer | | |
| | | | | | KBSR-1 | KBSR-2 | KBSR-3 | KBSF-1 | KBSF-2 | KBSF-3 |
| 67 | KBH119 | TOP FRAME BRACKET | GI, T1.0*30*59.6 |  | 2 | 3 | 3 | 2 | 3 | 3 |
| 68 | KBH338 | DISPLAY AS | |  | 1 | 1 | 1 | 1 | 1 | 1 |
| 68-1 | KB5051 | CONTROL BOARD (DIGITAL DISPLAY) | | | 1 | 1 | 1 | 1 | 1 | 1 |
| 68-2 | KBH241 | PCB DISPLAY 88 DP1(R290 REACH IN) | | | 1 | 1 | 1 | 1 | 1 | 1 |
| 68 | KBH335 | DISPLAY AS | |  | 1 | 1 | 1 | 1 | 1 | 1 |
| 68-1 | KBH361 | COVER DISPLAY C (TABLE -HC) | | | 1 | 1 | 1 | 1 | 1 | 1 |
| 68-2 | KBH362 | PCB DISPLAY(TABLE-HC) | | | 1 | 1 | 1 | 1 | 1 | 1 |
| 69 | KBH176 | INLAY CONTROL (EXPERT) | |  | 1 | 1 | 1 | 1 | 1 | 1 |
| | | INLAY CONTROL | R-290 MVP PC T0.8 134*40 |  | 1 | 1 | 1 | 1 | 1 | 1 |
| 70 | KBH249 | SWITCH POWER | A1 |  | 1 | 1 | 1 | 1 | 1 | 1 |
| 71 | KBH250 | SWITCH DOOR | R290 REACH IN |  | 1 | 2 | 3 | 1 | 2 | 3 |
| 72 | KB1750 | DOOR LOCKING ASSY | ZDC, ZCR |  | 1 | 2 | 3 | 1 | 2 | 3 |









KBSR-KBSF

| No. | MVP ITEM NO. | Part Name | Specification | Photo | Bottom Mount Model | | | | | |
|-----|--------------|---------------------------|-----------------------------------|---|--------------------|--------|--------|---------|--------|--------|
| | | | | | Refrigerator | | | Freezer | | |
| | | | | | KBSR-1 | KBSR-2 | KBSR-3 | KBSF-1 | KBSF-2 | KBSF-3 |
| 73 | KB5221 | CHECK VALVE AS | BM ALL |  | 1 | 1 | 1 | 1 | 1 | 2 |
| 74 | | BRACKET CHECK VALVE | GI T1.0*10.6*70 |  | 1 | 1 | 1 | 1 | 1 | 2 |
| 75 | KBH115 | COVER PCB(R-290 REACH-IN) | GI / T1.0*268.7*250.8 |  | 1 | 1 | 1 | 1 | 1 | 1 |
| 76 | | PCB MAIN (FRE) | BM/TM 115V Fre °F |  | | | | 1 | 1 | 1 |
| | | PCB MAIN(R290) | BM 115V REF °F | | 1 | 1 | 1 | | | |
| 77 | KBH256 | POWER RELAY | R290 REACH IN FREEZER / SFD-112DM |  | | | | | | 1 |
| 78 | KB3421 | ASSY PACKING SHELF A 23 | W545*D580 3EA |  | 1 | | | 1 | | |
| | KB3417 | ASSY PACKING SHELF C-49 | 3EA 609*580 | | | 2 | 2 | | 2 | 2 |
| | KB3442 | ASSY PACKING SHELF 72 | LFT-72T 3EA | | | | | 1 | | 1 |
| | KB5062 | ASSY SHELF CLIP | 36 SET |  | | | 1 | | | 1 |
| | KB3460 | ASSY SHELF CLIP | 14 SET | | 1 | | | 1 | | |
| | KB5061 | ASSY SHELF CLIP | 26 SET | | | 1 | | | 1 | |
| 80 | KB3178 | SHELF STANDARD L | T1.2*930mm |  | 4 | 8 | 12 | 4 | 8 | 12 |











KBSR-KBSF

| No. | MVP ITEM NO. | Part Name | Specification | Photo | Bottom Mount Model | | | | | |
|-----|--------------|------------------------------------|--|---|--------------------|--------|--------|---------|--------|--------|
| | | | | | Refrigerator | | | Freezer | | |
| | | | | | KBSR-1 | KBSR-2 | KBSR-3 | KBSF-1 | KBSF-2 | KBSF-3 |
| 81 | KBH162 | SHELF REAR B | SWRM+PE/C 350*790 |  | 1 | 2 | 3 | 1 | 2 | |
| 82 | KBH163 | SHELF REAR CLIP | POM 11*24.1*H30 |  | 4 | 8 | 12 | 4 | 8 | |
| 83 | KBH285 | ASSY PACKING CASTER BOX 23/49 | 4" Caster 2EA + Caster with Brake 2EA Washer |  | 1 | 1 | | 1 | 1 | |
| 84 | KBH286 | ASSY PACKING CASTER BOX 72 | 4" Caster 3EA + Caster with Brake 3EA Washer |  | | | 1 | | | 1 |
| 85 | KBH111 | COVER SAFTY WIRE MASH (R290 BM 23) | MSWR#10 Ø2.5*661*364 |  | 1 | | | 1 | | |
| | KBH112 | COVER SAFTY WIRE MASH (R290 BM 49) | MSWR#10 Ø2.5*661*364 | | | 1 | | | 1 | |
| | KBH113 | COVER SAFTY WIRE MASH (R290 BM 72) | MSWR#10 Ø2.5*2042.5*364 | | | | 1 | | | 1 |
| 86 | KBH233 | HEATER DEFROST (R290 BM 23F) | UL 115V 450W |  | | | | 1 | | |
| | KBH234 | HEATER DEFROST (R290 BM 49F) | UL 115V 600W | | | | | | 1 | |
| | KBH235 | HEATER DEFROST (R290 BM 72F) | UL 115V 810W | | | | | | | 1 |
| 87 | KBH317 | ASSY HEATER DRAIN HOSE | UL 23F(BM/TM) 115V 10W | | | | | 1 | | |
| | KBH318 | ASSY HEATER DRAIN HOSE | UL 49F(BM/TM) 115V 10W | | | | | | 1 | |
| | KBH319 | ASSY HEATER DRAIN HOSE | UL 72F(BM/TM) 115V 10W | | | | | | | 1 |



KBSR-KBSF

| No. | MVP ITEM NO. | Part Name | Specification | Photo | Bottom Mount Model | | | | | |
|-----|--------------|-----------------------------------|--------------------------------|---|--------------------|--------|--------|---------|--------|--------|
| | | | | | Refrigerator | | | Freezer | | |
| | | | | | KBSR-1 | KBSR-2 | KBSR-3 | KBSF-1 | KBSF-2 | KBSF-3 |
| 88 | KBH226 | HEATER DRAIN PAN(23F 115V) | 115V/90W 147Ω |  | | | | 1 | | |
| | KBH227 | HEATER DRAIN PAN(49F 115V) | 115V/140W 94.5Ω | | | | | | 1 | |
| | KBH225 | HEATER DRAIN PAN(72F 115V) | 115V/180W 73.5Ω | | | | | | | 1 |
| 89 | KB1920 | ROOM SENSOR - REFRIGERATOR | WHITE |  | 1 | 1 | 1 | | | |
| 90 | KB1900 | ROOM SENSOR - FREEZER | YELLOW |  | | | | 1 | 1 | 1 |
| 91 | KB3288 | D-SENSOR | WHITE, L=180MM |  | 1 | 1 | 1 | 1 | 1 | 1 |
| 92 | KBH289 | ASSY HARNESS INNER (R290 BM 23R) | R290 PCB TYPE UL AWG18/24 |  | 1 | | | | | |
| | KBH292 | ASSY HARNESS INNER (R290 BM 49R) | R290 PCB TYPE UL AWG18/24 | | | 1 | | | | |
| | KBH293 | ASSY HARNESS INNER (R290 BM 72R) | R290 PCB TYPE UL AWG18/24 | | | | 1 | | | |
| | KBH290 | ASSY HARNESS INNER (R290 BM 23F) | R290 PCB TYPE UL AWG18/24 | | | | | 1 | | |
| | KBH294 | ASSY HARNESS INNER (R290 BM 49F) | R290 PCB TYPE UL AWG18/24 | | | | | | 1 | |
| | KBH295 | ASSY HARNESS INNER (R290 BM 72F) | R290 PCB TYPE UL AWG18/24 | | | | | | | 1 |
| 93 | KBH197 | HARNESS RELAY (R290 BM 23R/23F) | EM2X3125U / FFU160UAX UL AWG18 |  | 1 | | | 1 | | |
| | KBH198 | HARNESS RELAY (R290 BM 49R) | EM2X3125U UL AWG18 | | | 1 | | | | |
| | KBH199 | HARNESS RELAY (R290 BM 72R) | FFU160UAX UL AWG18 | | | | 1 | | | |
| | KBH200 | HARNESS RELAY (R290 BM 49F) | NEU2155U UL AWG18 | | | | | | 1 | |
| | KBH201 | HARNESS RELAY (R290 BM 72F) | NT2180UV UL AWG18 | | | | | | | 1 |
| 94 | KBH209 | HARNESS CONNECT 5P(R290 BM) | L=950MM 5P |  | 1 | 1 | 1 | 1 | 1 | 1 |
| 95 | KBH211 | HARNESS SWITCH (R290 BM 23R/F/RG) | UL AWG18 |  | 1 | | | 1 | | |
| | KBH212 | HARNESS SWITCH (R290 BM 49R/F/RG) | UL AWG18 | | | 1 | | | 1 | |
| | KBH213 | HARNESS SWITCH (R290 BM 72R/F) | UL AWG18 | | | | 1 | | | 1 |




KBSR-KBSF

| No. | MVP ITEM NO. | Part Name | Specification | Photo | Bottom Mount Model | | | | | | |
|-----|--------------|---|-------------------------------|--|--------------------|--------|--------|---------|--------|--------|---|
| | | | | | Refrigerator | | | Freezer | | | |
| | | | | | KBSR-1 | KBSR-2 | KBSR-3 | KBSF-1 | KBSF-2 | KBSF-3 | |
| | KBH218 | HARNESS COMP (R290 REF/23F) | EM2X3125U, FFU160UAX UL AWG18 | | | | | | | | |
| 96 | KBH219 | HARNESS COMP (R290 49F) | NEU2155U UL AWG18 | | | | | | 1 | | |
| | KBH220 | HARNESS COMP (R290 72F) | NEU2155U, NT2180UV UL AWG18 | | | | | | | 1 | |
| 97 | KBH221 | HARNESS SENSOR CONNECTOR(R290 BM F/TM R | UL AWG 18 / D-SENSOR CONNECT | | | | | 2 | 1 | 1 | |
| 98 | KBH253 | HARNESS EARTH-A | AWG18 105°C | | 1 | 1 | | 1 | 1 | | |
| 99 | KBH252 | HARNESS PCB OUT | UL AWG 18 | | | | 1 | | 1 | 1 | |
| 100 | KBH255 | HARNESS SENSOR H | UL | | 1 | 1 | 1 | | | | |
| 101 | KBH257 | HARNESS CONNECTOR HOUSING | UL AWG 18 | | | | | 1 | 1 | 1 | |
| 102 | KBH288 | ASSY HARNESS TEMPERATURE FUSE | 250V 15A 110G°C |  | | | | | 1 | 1 | 1 |
| | KBH251 | TEMPERATOR FUSE | 250V 15A 110°C | | | | | | 1 | 1 | 1 |



KBSR-KBSF



KBSF-3