



































No.	MVP ITEM NO.	Part Name	Specification	Photo	Salad Table				
					KST-27-1	KST-36-2	KST-48-2	KST-60-2	KST-72-3
1	KB5235	ASSY DOOR LF-36 (MVP)	SOLID DOOR R10 MVP			1			
	KB5236	ASSY DOOR LF-48 (MVP)	SOLID DOOR R10 MVP				1		2
	KB5237	ASSY DOOR LF-60 (MVP)	SOLID DOOR R10 MVP					1	
2	KB5238	ASSY DOOR RH-27 (MVP)	SOLID DOOR R10 MVP		1				
	KB5239	ASSY DOOR RH-36 (MVP)	SOLID DOOR R10 MVP		1				
	KB5240	ASSY DOOR RH-48 (MVP)	SOLID DOOR R10 MVP			1		1	
	KB5241	ASSY DOOR RH-60 (MVP)	SOLID DOOR R10 MVP				1		
3	KB5242	GASKET DOOR-27	RD-PVC(P-1000) 644.5*651.5		1				
	KB5243	GASKET DOOR-36	RD-PVC(P-1000) 402.5*651.5			2			
	KB5244	GASKET DOOR-48	RD-PVC(P-1000) 553.5*651.5				2		3
	KB5245	GASKET DOOR-60	RD-PVC(P-1000) 707.5*651.5					2	
4	KB5248	ASSY HINGE BKT LOW	STS304 T3.0*46*72.9		1	2	2	2	3
5	KB5249	ASSY HINGE BKT UPP	STS304 T3.0*46*72.9		1	2	2	2	3
6	KB5246	ASSY HINGE LF	LUCR48			1	1	1	2
7	KB5247	ASSY HINGE RH	LUCR48		1	1	1	1	1
8		MASCOT (MVP)	AL. T2.5 160*44 GREEN		1	1	1	1	1








No.	MVP ITEM NO.	Part Name	Specification	Photo	Salad Table				
					KST-27-1	KST-36-2	KST-48-2	KST-60-2	KST-72-3
9	KBH180	COMPRESSOR (EM2X3125U) + ACCESSORIES	EMBRACO1/4,LMBP,314KCAL/H,5. 80BTU/WH		1	1	1	1	1
10	KBH161	PLATE BASE (TABLE-HC)	GI T1.6*304.9*387.4		1	1	1	1	1
11	KBH096	COVER COMP UNIT(36-HC)	WIRE MSWR Ø2.5			1			
	KBH097	COVER COMP UNIT(48-HC)	WIRE MSWR Ø2.5				1		
	KBH098	COVER COMP UNIT(60-HC)	WIRE MSWR Ø2.5					1	
	KBH099	COVER COMP UNIT(72-HC)	WIRE MSWR Ø2.5						1
12	KBH347	ASSY CONDENSER 3C(TABLE-HC)	STEEL WIRE OD 4.76*0.7T(BY)		1	1			
	KBH350	ASSY CONDENSER 2C_CU(TABLE-HC)	CU OD6.35*0.7				1	1	1
13	KBH281	ASSY MOTOR COND(TABLE-HC)	AC MOTOR 115V,60HZ		1	1	1	1	1








No.	MVP ITEM NO.	Part Name	Specification	Photo	Salad Table				
					KST-27-1	KST-36-2	KST-48-2	KST-60-2	KST-72-3
13-1	KB5034	EVAPORATOR FAN MOTOR (115V)	AC115V 60HZ DAI-8204DYCA-1 CCW		1	1	1	1	1
13-2	KB5255	FAN	Ø 175		1	1	1	1	1
13-3	KBH026	BRACKET COND MOTER(TABLE-HC)	GI T1.0*383.8*102.79		1	1	1	1	1
14	KBH300	ASSY EVA (28.36R.PT.MT-HC)	OD9.52,ACCUMULATOR,2C		1	1			
	KBH302	ASSY EVA (48.60R.PT.MT-HC)	OD9.52ACCUMULATOR,2C				1	1	
	KBH304	ASSY EVA (72R.MT,PT-HC)	OD9.52,ACCUMULATOR,3C,L=970						1
15	KBH247	MOTOR AXIAL EVA FAN (TABLE-HC)	FP- 108X,16W,0.19A(COMMONWEALT H)		1	1	2	2	2
16	KBH248	POWER CORD (R-290)	125V 15A/UL		1	1	1	1	1
17	KBH308	ASSY SUCTION PIPE (28.36.48)	OD 7.94*0.7T, OD3.0*ID1.2		1	1	1	1	
	KBH309	ASSY SUCTION PIPE (72R-HC)	OD 7.94*0.7T, OD3.0*ID1.2						1







No.	MVP ITEM NO.	Part Name	Specification	Photo	Salad Table				
					KST-27-1	KST-36-2	KST-48-2	KST-60-2	KST-72-3
18	KBH230	HEATER VAPORIZER(TABLE-HC)	115V, 50W, 264.5Ω		1	1	1	1	1
19	KBH006	DRYER	XH-9.18GR. ∅ 3.4. Φ6.35(TABLE)		1	1	1	1	1
20	KBH037	PIPE DRAIN U TRAP (TABLE-HC)	HDPE(B220A), NATURAL		1	1	1	1	1
21	KBH038	PIPE CHARGE(R MODEL-HC)	OD 6.35*0.7T RED SLEEVE(축관)		1	1	1	1	1
22	KBH040	PIPE COMP SUCTION(28FR/36R-HC)	OD 7.94*0.7T		1	1			
	KBH041	PIPE COMP SUCTION(48R/60R-HC)	OD 7.94*0.7T				1	1	
	KBH042	PIPE COMP SUCTION(72R-HC)	OD 7.94*0.7T						1
23	KBH048	PIPE DISCHARGE(EM2X-)	OD 4.76*0.7T		1	1	1	1	1
24	KBH051	PIPE DRIER INLET A(TABLE-HC)	OD 6.35*0.7T		1	1	1	1	
	KBH052	PIPE DRIER INLET A (72, TABLE)	OD 6.35*0.7T						1

No.	MVP ITEM NO.	Part Name	Specification	Photo	Salad Table				
					KST-27-1	KST-36-2	KST-48-2	KST-60-2	KST-72-3
25	KBH046	PIPE COND OUTLET(28-HC)	OD 4.76*0.7T		1				
	KBH047	PIPE COND OUTLET(48/60/72-HC)	OD 4.76*0.7T				1	1	1
	KBH053	PIPE COND OUTLET(36-HC)	OD 4.76*0.7T			1			
26	KB5299	ASSY PACKING SHELF M/S-27/COMBI-72	OD7*565*484 1EA		1				
	KB5300	ASSY PACKING SHELF LMT/LST36	OD7*388*484 2EA			1			
	KB5301	ASSY PACKING SHELF LMT/LST48	OD7*540*484 2EA				1		
	KB5302	ASSY PACKING SHELF LMT/LST60	OD7*693*484 2EA					1	
	KB5303	ASSY PACKING SHELF LMT/LST72	OD7*565*484 3EA						1
27	KB5304	SHELF STANDARD	AL6063S L230		4	8	8	8	12
28		ASSY SHELF CLIP(6EA)	LMT/LST27		1				
		ASSY SHELF CLIP(18EA)	LUCR36/48/60			1	1	1	
		ASSY SHELF CLIP(26EA)	LUCR/F72						1
29	KB5310	ASSY PACKING CASTER BOX 4"	4" Caster 2EA + Caster with Brake 2EA PLATE TYPE		1	1	1	1	1
30	KBH083	COVER EVA_28-HC	STS443CT 2B T0.5*604.4*429.7		1				
	KBH084	COVER EVA_36-HC	STS443CT 2B T0.5*828.4*429.7			1			
	KBH085	COVER EVA_48-HC	STS443CT 2B T0.5*1132.4*429.7				1		
	KBH086	COVER EVA_60-HC	STS443CT 2B T0.5*1438.4*429.7					1	
	KBH087	COVER EVA_72R PT-HC	STS443CT 2B T0.5*1744.4*429.7						1

No.	MVP ITEM NO.	Part Name	Specification	Photo	Salad Table				
					KST-27-1	KST-36-2	KST-48-2	KST-60-2	KST-72-3
31	KBH144	GUIDE DRAIN EVA(28/36-HC)	AL T1.0*532.1*330.9		1	1			
	KBH145	GUIDE DRAIN EVA(48/60-HC)	AL T1.0*908.1*330.9				1	1	
	KBH148	GUIDE DRAIN EVA(72MT,PT-HC)	AL T1.0*1125.9*324.6						1
32	KBH146	GUIDE DRAIN EVA(TABLE-HC)	POM T1.5		1	1	1	1	1
33	KBH147	GUIDE EVA MOTOR(TABLE-HC)	STS443CT 2B T0.5*74.3*139.1		2	2	3	3	4
34	KBH088	COVER REAR 28-HC	GI T0.6*685.3*309.3		1				
	KBH089	COVER REAR 36-HC	GI T0.6*909.3*309.3			1			
	KBH090	COVER REAR 48-HC	GI T0.6*1213.3*309.3				1		
	KBH091	COVER REAR 60-HC	GI T0.6*1519.3*309.3					1	
	KBH092	COVER REAR 72-HC	GI T0.6*1825.3*308.9						1
35	KBH002	EYELET	T8*Ø 18*Ø 30 SILICON		1	1	1	1	1
36	KBH124	DUCT EVA_28-HC	STS443CT 2B T0.5*531.6*153.9		1				
	KBH125	DUCT EVA_36R-HC	STS443CT 2B T0.5*623.6*153.9			1			
	KBH121	DUCT EVA_48-HC	STS443CT 2B T0.5*936.6*153.9				1		
	KBH122	DUCT EVA_60-HC	STS443CT 2B T0.5*1236.6*153.9					1	
	KBH123	DUCT EVA_72-HC	STS443CT 2B T0.5*1534.6*153.9						1
37	KBH073	CASE DRAIN(TABLE-HC)	STS443CT 2B T0.5*1534.6*153.9		1	1	1	1	1








No.	MVP ITEM NO.	Part Name	Specification	Photo	Salad Table				
					KST-27-1	KST-36-2	KST-48-2	KST-60-2	KST-72-3
38	KB5403	CABINET STOPPER	PP BLACK		2	2	2	2	2
39	KBH153	HOSE DRAIN(TABLE-HC)	OD23*ID19 L=175 SILICON		1	1	1	1	1
40	KB5406	EVAPORATOR DRAIN ELBOW-UPP	PP WHITE(30209L0200)		1	1	1	1	1
41	KBH024	BRACKET TABLE FRONT	STS430 #4 T1.5*34.7*30		2	3	3	3	3
42	KBH025	BRACKET TABLE TOP	STS430 #4 T1.5*34.7*30		2	3	3	3	3
43	KBH335	DISPLAY AS	REAR TABLE(R-290)		1	1	1	1	1
43-1	KBH361	COVER DISPLAY C (TABLE -HC)			1	1	1	1	1
43-2	KBH362	PCB DISPLAY(TABLE-HC)			1	1	1	1	1
44		INLAY CONTROL	R-290 MVP PC T0.8 134*40		1	1	1	1	1

No.	MVP ITEM NO.	Part Name	Specification	Photo	Salad Table				
					KST-27-1	KST-36-2	KST-48-2	KST-60-2	KST-72-3
45	KBH100	COVER PCB(R-290 REAR TABLE)	GI T0.6*153.6*183.1		1	1	1	1	1
46		PCB MAIN (TABLE-HC)(FOOD PREP)	TABLE 115V 냉장 °F BLPT,BLMT		1	1	1	1	
	KBH245	PCB MAIN	TABLE 115V 냉장 °F(72모델 전용)						1
47	KB5404	CAP HINGE	SILICON GRAY Φ21*7		1				
48	KB5313	BOARD CUTTING 27	T12*240*696		1				
	KB5314	BOARD CUTTING 36	T12*240*920			1			
	KB5315	BOARD CUTTING 48	T12*240*1224				1		
	KB5316	BOARD CUTTING 60	T12*240*1530					1	
	KB5317	BOARD CUTTING 72	T12*240*1835						1
49		PAN POLYCARBONATE	PC 1/6*100H		6	10	12	16	18
50	KB5319	PAN POLYCARBONATE	PC 1/9*100H		2				
51	KB5320	BRACKET CUTTING BOARD LF	STS443CT 2B T1.0*67.4*129.9		1	1	1	1	1

No.	MVP ITEM NO.	Part Name	Specification	Photo	Salad Table				
					KST-27-1	KST-36-2	KST-48-2	KST-60-2	KST-72-3
52	KB5321	BRACKET CUTTING BOARD RH	STS443CT 2B T1.0*67.4*129.9		1	1	1	1	1
53	KBH324	COVER CASE AS 27S	LST27		1				
	KBH326	COVER CASE AS 36S	LST36			1			
	KB5324	COVER CASE AS 48S	LST48				1		
	KB5325	COVER CASE AS 60S	LST60					1	
	KB5326	COVER CASE AS 72S	LST72						1
54	KBH323	COVER DOOR AS 27S	LST27		1				
	KBH328	COVER DOOR AS 36S	LST36			1			
	KB5334	COVER DOOR AS 48S	LST48				1		
	KB5335	COVER DOOR AS 60S	LST60					1	
	KB5336	COVER DOOR AS 72S	LST72						1
55	KBH330	GUIDE PAN AS(28S-HC)	KST-27-1		1				
	KBH331	GUIDE PAN AS(36S-HC)	KST-36-2			1			
	KBH332	GUIDE PAN AS(48S-HC)	KST-48-2				1		
	KBH333	GUIDE PAN AS(60S-HC)	KST-60-2					1	
	KBH334	GUIDE PAN AS(72S-HC)	KST-72-3						1
56	KBH135	GUIDE PAN SIDE-27S	STS443CT 2B, T1.0*65.9*378.8		2	2			
	KBH142	GUIDE PAN SIDE-48S	STS443CT 2B, T1.0*65.9*350.8				2	2	3
57	KBH132	GUIDE PAN-27M	STS443CT 2B, T1.0*73.9*617.8		2				
	KBH137	GUIDE PAN-36M	STS443CT 2B T1.0*73.9*832.8			2			
	KBH139	GUIDE PAN-48S	STS443CT 2B, T1.0*73.9*1078.8				2		
	KBH140	GUIDE PAN-60S	STS443CT 2B, T1.0*73.9*1430.8					2	
	KBH141	GUIDE PAN-72S	STS443CT 2B, T1.0*73.9*1606.8						2



KST

No.	MVP ITEM NO.	Part Name	Specification	Photo	Salad Table				
					KST-27-1	KST-36-2	KST-48-2	KST-60-2	KST-72-3
58	KBH136	GUIDE PAN B	STS443CT 2B T0.8*40.4*363.4		3	4			
	KBH143	GUIDE PAN C	STS443CT 2B T0.8*40.4*335.4				5	7	8
59	KBH154	PARTITION (28S-HC)	STS443CT 2B T0.5*899.4*533.15		1				
	KBH155	PARTITION (36S-HC)	STS443CT 2B T0.5*1114.4*533.15			1			
	KBH156	PARTITION (48S-HC)	STS443CT 2B T0.5*1361.4*515.15				1		
	KBH157	PARTITION (60S-HC)	STS443CT 2B T0.5*1712.4*515.15					1	
	KBH158	PARTITION (72S-HC)	STS443CT 2B T0.5*1888.4*515.15						1
60	KB5398	SHAFT BOLT	STS304 Ø14*14.5		2	2	2	2	2
61	KB5400	NUT CAP-M5	SUS M5		2	2	2	2	3
62	KB5401	WASHER -18	STS304 T4.0*Ø18		2	2	2	2	2
63	KB5402	WASHER PLATE-M5	STS304 T1.0*Φ5.2*Φ15		4	4	4	4	4
64	KBH175	WASHER PLATE	T1.0 Φ6*Φ21 SWCH-ZN		2	2	2	2	3

No.	MVP ITEM NO.	Part Name	Specification	Photo	Salad Table				
					KST-27-1	KST-36-2	KST-48-2	KST-60-2	KST-72-3
65	KBH195	HARNESS SENSOR(F-HC)	24AWG		1	1	1	1	1
66	KBH193	HARNESS DISPLAY MAIN(TABL	24AWG		1	1	1	1	1
67	KBH187	HARNESS MAIN(28R/36R-HC)	18AWG		1	1			
	KBH188	HARNESS MAIN(48R/60R-HC)	18AWG				1	1	
	KBH189	HARNESS MAIN(72R-HC)	18AWG						1
68	KBH288	ASSY HARNESS TEMPERATUR	250V 15A 110G °C		1	1	1	1	1
69	KBH082	COVER HEATER HARNESS(GLASS)	ABS T1.5		1	1	1	1	1
70	KBH194	HARNESS DISPLAY TOP(TABLE-HC)	24AWG		1	1	1	1	1
71	KBH196	HARNESS EARTH (EMEX3125U)	18 AWG		1	1	1	1	1
72	KB5106	SENSOR ROOM	AT25 °C.10.75kΩ±1%.-25~25		1	1	1	1	1
73	KB5107	SENSOR DEF	AT25 °C.10.75kΩ±1%.-25~25		1	1	1	1	1
74	KBH272	ASSY DRAIN WICKING (R-290 7	R-290 72 MODEL						1